

10/763,480

	Type	Ref #	Hits	Search Text	DBs
1	IS&R	S1	429	(62/228.4).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
2	BRS	S2	7335	((limit\$3 or restrict\$3) near4 speed) with (motor or compressor)	US-PGPUB; USPAT; EPO; JPO; DERWENT
3	BRS	S3	48	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT
4	BRS	S4	279	S2 with temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT
5	BRS	S5	15	S1 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT
6	IS&R	S6	429	(62/228.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
7	IS&R	S7	418	(62/228.3).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
8	IS&R	S8	710	(62/229).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
9	BRS	S9	14380	((limit\$3 or restrict\$3 or maximum) near4 speed) with (motor or compressor)	US-PGPUB; USPAT; EPO; JPO; DERWENT
10	BRS	S10	1842	S1 or S6 or S7 or S8	US-PGPUB; USPAT; EPO; JPO; DERWENT
11	BRS	S11	156	S9 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT
12	BRS	S12	550	S9 with temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT
13	BRS	S13	44	S10 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT
14	BRS	S14	14	("3411313" "3499297").PN. OR ("4722196").URPN.	US-PGPUB; USPAT; USOCR
15	IS&R	S15	167	(62/215).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
16	IS&R	S16	290	(417/32).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
17	IS&R	S17	203	(417/213).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
18	IS&R	S18	152	(417/292).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
19	IS&R	S19	429	(62/228.4).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
20	IS&R	S20	429	(62/228.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
21	IS&R	S21	418	(62/228.3).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
22	IS&R	S22	710	(62/229).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
23	BRS	S23	1842	S19 or S20 or S21 or S22	US-PGPUB; USPAT; EPO; JPO; DERWENT
24	BRS	S24	2552	S23 or S15 or S16 or S17 or S18	US-PGPUB; USPAT; EPO; JPO; DERWENT
25	BRS	S25	7335	((limit\$3 or restrict\$3) near4 speed) with (motor or compressor)	US-PGPUB; USPAT; EPO; JPO; DERWENT
26	BRS	S26	79	S25 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT
27	BRS	S27	166	S25 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
28	BRS	S28	279	S25 with temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT
29	BRS	S29	33	S28 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
30	BRS	S30	20	S28 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT
31	BRS	S31	11	S20 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
32	BRS	S32	0	S25 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT
33	BRS	S33	0	((limit\$3 or restrict\$3) near4 speed) and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT
34	BRS	S34	2	((limit\$3 or restrict\$3 or maximum) near4 speed) and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT